

COSWICK HARDWOOD FLOORING |

COSWICK Inspire

COSWICK.COM
SINCE 1995

COSWICK
Solid Hardwood Floors



COSWICK company

COSWICK LTD. is an international wood flooring company founded in 1995. The production is located in the Republic of Belarus, in the city of Zaslavl.

The main products of the company are three-layer single-strip floor boards, Chevron and Herringbone, mosaic flooring and parquetry, as well as sports floors for professional arenas and multi-purpose grounds.

INNOVATION

We apply all our many years of experience and knowledge, invest in new technologies and our own innovative know-hows to create reliable and durable floors that can be successfully used in a wide variety of facilities and in any climatic conditions.

QUALITY GUARANTEE

We adhere to high standards of product quality and safety, as well as confirm this in international certification systems. Quality is under control at all stages, from raw material selection to the finished floor.

HEALTHY ENVIRONMENT

For the production of parquet floors, we use certified environmentally friendly adhesives and protective coatings that do not emit substances harmful to human health. We regularly test products for compliance with European environmental safety requirements.

INTERNATIONAL RECOGNITION

Over 90% of our products are exported globally. Coswick dealer network spans over 50 countries on all continents.



ПАРКЕТНАЯ ФАБРИКА
"КОСВИК"

ECOLOGY

We introduce technologies that guarantee the safety of production for the environment. In practice, we apply the principles of rational use of natural resources. We use controlled wood from forests where environmentally and socially responsible forestry is practiced.

COMPREHENSIVE SERVICE

We are always in touch with our clients. Any project is accompanied at all stages, provide expert and technical support before, during and after the installation of the floors.





COSWICK stability

- balanced and symmetrical construction
- increased stability
- extra-durable





BALANCED CONSTRUCTION

Balanced 3-layer construction of the floorboard remains stable even in the wider range of environmental humidity.

- All three layers are made of hardwood, top lamella is made of oak and American walnut, middle core is made of birch, the base lamella is made of oak or birch.
- Using birch as a core instead of softer pine species increases the stability of the board as birch is far more resistant to deforming.
- Upper and base lamellas have the same thickness, which allows them to affect the core symmetrically in case of changes in the environment. This increases the balance of the construction and practically eliminates the possibility of twisting.

CORK COMPENSATORS

Usage of cork compensators in the core layer provides additional stability and balance in case of variations in the environmental humidity.

EXTRA-DURABLE POLYURETHANE GLUE

Coswick uses a special polyurethane hot-melt adhesive for bonding of its 3-layer engineered flooring planks. It is durable, moisture-resistant and highly elastic.

When compared to other types of adhesives it has several advantages:

- There is no delaminating of the board at the seams even in case of flooding.
- No "ageing" effect: bonding qualities are retained over the entire life of the floorboards.
- Environmentally friendly formulation: no formaldehydes or other harmful chemical compounds.



STRUCTURAL WARRANTY!



COSWICK design solution

- 66 unique décors
in 3 protective finishes

Our décor collection combines natural tones and a variety of textures to highlight the individuality of each project. Focus on the details by selecting materials that perfectly complement the concept and style of your interior.

- extended mosaic range: chevron and herringbone, parquetry and mosaic flooring

The variety of Coswick décors allows to create any decorative compositions - from fancy palace patterns and classic designs to striking solutions in country, loft or high-tech styles.

- perfect solutions for high-end public spaces in any climate zone





COSWICK eco-friendly

ENVIRONMENTAL SAFETY DECLARATION

Coswick pays close attention to creating environmentally safe products and rational use of natural resources, reaffirming this dedication with regular examinations and internationally recognized certification.

NATURAL TIMBER, ENVIRONMENTALLY SAFE MATERIALS

All Coswick products are made of natural timber. Additional materials used during manufacturing are chosen in compliance with rigorous environmental requirements. Finished products are regularly tested for formaldehyde. As for this parameter, Coswick floorboards comply with the highest safety classes in use in the EU (E1) and the USA (NAUF, ULEF). This means that the emission levels of volatile compounds do not exceed that of the emissions of the natural timber.


RESPONSIBLE FOREST USE

We only use controlled timber. We acquire it from forests with ecologically and socially responsible management practices. Raw materials for floorboard manufacture are felled during forest sanitation activities thus not leading to deforestation.

WASTELESS PRODUCTION

Sawdust and trims from the manufacturing process are used as fuel for our furnace and in the production of fuel briquettes. This way our valuable raw materials are used rationally while simultaneously heating our premises without polluting atmospheric emissions.








COSWICK news

New Rhythm of Grey: Shades Softer Than Light

In March 2026, Coswick Grey Shadow Collection was expanded with two new décors — Atlantis and Misty Rose, revealing the aesthetics of subtle nuances and pure texture.

ATLANTIS is restrained depth. The color evokes cool clarity, calmness and confidence. The shade works both as a background and as an accent — strict, yet alive, like stone polished by water and time.




ATLANTIS / oak
S&B / 1N / silk finish

MISTY ROSE offers a soft, diffused light, like morning air filled with subtle warmth. A delicate powdery note adds tactile depth to the interior without being overly decorative.



MISTY ROSE / oak
S&B / 1N / silk finish



15 **COSWICK
COLLECTION**

- 17 natural touch
- 23 grey shadow
- 29 white breathe
- 35 dark wood
- 41 designer solution
- 47 american
walnut

47 **SPORTS
FLOORING**




51 **SPORTS
FLOORING
COSWICK**

- 59 acoustic panels
- 61 moldings
- 63 floor care
products

65 **TECHNICAL
INFORMATION**

- 67 construction
- 69 finishing
systems
- 71 grades
- 73 installation
- 75 production program







COSWICK collection

- natural touch
- grey shadow
- white breathe
- dark wood
- designer solution
- american walnut



NATURAL TOUCH COLLECTION



101
TITANIUM BUFF / oak
S&B / 1N / silk mat finish




102
TITANIUM BUFF RUSTIC / oak
1C / CHAR / silk mat finish



103
RAW SIENNA / oak
S&B / 1N / silk mat finish



104
SIENNA RUSTIC / oak
1C / CHAR / silk mat finish



105
CEDAR / oak
S&B / 1N / silk finish



106
CEDAR RUSTIC / oak
TAV / CHAR / silk finish



107
GENEVA / oak
TAV / CHAR / silk mat finish



108
NATURAL / oak
S&B / 1N / silk finish




109
VIENNA / oak
CHAR / silk mat finish



110
ALMOND / oak
S&B / 1N / silk mat finish



111
STRAW / oak
TAV / CHAR / silk mat finish




112
BARN / oak
TAV / CHAR / silk mat finish

GRADE	select & better	S&B
	1 common	1C
	1 natur	1N
	tavern	TAV
	character	CHAR


FINISH	silk finish	☼
	silk mat finish	☼

CONSTRUCTION	3-layer T&G engineered flooring
	15 x 127 x 600...2100 mm
	19.05 x 127 x 600...2100 mm
	15 x 190 x 600...2100 mm / 2000...2100 mm
	19.05 x 190 x 600...2100 mm / 2000...2100 mm
	15 x 240 x 600...2100 mm
	19.05 x 240 x 600...2100 mm
19.05 x 300 x 1450...2950 mm	







HERRINGBONE




127 x 635 mm



107.95 x 647.7 mm



82.55 x 577.85 mm




82.55 x 330.2 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹️
	silk mat finish	☹️

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	
	15 x 107.95 x 647.7 mm	
	15 x 82.55 x 577.85 mm	
	15 x 82.55 x 330.2 mm	


CHEVRON / 45°



127 x 500 mm



107.95 x 530 mm




82.55 x 490 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹️
	silk mat finish	☹️

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	
	15 x 107.95 x 530 mm	
	15 x 82.55 x 490 mm	

CHEVRON / 60°



190 x 438.78 mm




127 x 548 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹️
	silk mat finish	☹️

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN



ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 common	1C


FINISH	silk finish	☹️
	silk mat finish	☹️

CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
	19.05 x 185.28 x 530.72 mm	
	OPERA HOUSE	
	15 x 123.22 x 622.03 mm	
	19.05 x 123.22 x 622.03 mm	


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOREAU




VERSAILLES

GRADE	select & better	S&B
--------------	-----------------	----------------

FINISH	silk finish	☹️
	silk mat finish	☹️

CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	





COSWICK project

“BLACK SQUARE” DESIGN

Design for an apartment in the new housing complex “Slavyansky Kvartal” in the center of Minsk for a modern family with two teenage sons. The clients wished for a comfortable space with a cosy living room combined with a kitchen, separate bedroom for kids, master bedroom, a study and a cloak room. As the clients take great interest in contemporary Belarusian art it was paramount to have a functional design without overindulging décor that has space for a family collection of paintings and sculptures.

The apartment is situated on the 13th floor and has a picturesque panoramic view of the city park and Svisloch river. To use this advantage to its fullest and give the owners a way of enjoying this splendor the living room/kitchen was joined with the balcony, removing window sills that were in the way and making the whole space bigger. Kids’ bedroom also has a panoramic window. Second balcony was made into a study.


To create a neutral back drop for art objects and furniture, a monochrome palette was chosen: warm grey, white and black. Based on the clients’ tastes, natural materials were used in décor. To create a cosy and warm atmosphere natural oak planks were used for floorings. Finished with silk oil, it is extremely pleasant to touch. Same boards were used as wall paneling above the bedhead. Veneered oak panels and oak furniture was used in other rooms as well. Kitchen and bathrooms were laid with stone-like ceramics.



A bold and technical solution was used in the making of the shower. Walls were separated from the ceiling by glass and the veneered black construction set near the living room looks light. This black wall of the shower room looks somewhat like Malevich’s “Black Square”, hence the project’s name that highlights the connection the clients have with the world of arts.

**Alyes and Veronika Fomenko,
Designers:**

"Greatest luck for any designer is to find customers who are open to suggestions and experimentation as well as discussions on their lifestyle and preferences. Thanks to this we were able to come up with a tailored and cosy design for comfortable living. This project has many things to be proud of: the black cube of the shower room, a complex TV support system, other technical and artistic solutions. We think the idea of using built-in furniture as it allowed to free up about 30-40% of the wall space and use every inch of interior for family activities.



Coswick **Natural oak** 3-layer hardwood flooring was used in the project.

Project by Alyes and Veronika Fomenko

Photography by Yegor Pyaskovsky

Style by Yuliya Mamedova

Coswick Partner: Atmosfera Parketa Flooring Studio



GREY SHADOW COLLECTION



201
CHAMBORD / oak
S&B / 1N / silk finish



202
CHAMBORD RUSTIC / oak
1C / CHAR / silk finish




203
PASTEL / oak
S&B / 1N / silk finish



204
PASTEL RUSTIC / oak
1C / CHAR / silk finish



205
SPINEL GREY / oak
S&B / 1N / silk mat finish



206
SPINEL GREY RUSTIC / oak
1 C / CHAR / silk mat finish



207
GREY WOOD / oak
TAV / CHAR / silk mat finish




208
ATLANTIS / oak
S&B / 1N / silk finish



209
DAVY'S GREY / oak
1 C / CHAR / silk mat finish



210
MISTY FJORDS / oak
TAV / CHAR / silk mat finish





211
MISTY ROSE / oak
S&B / 1N / silk finish




212
ROCKY REEF / oak
TAV / CHAR / silk finish


GRADE	select & better	S&B
	1 common	1C
	1 natur	1N
	tavern	TAV
	character	CHAR

FINISH	silk finish	
	silk mat finish	


CONSTRUCTION	3-layer T&G engineered flooring
	15 x 127 x 600...2100 mm
	19.05 x 127 x 600...2100 mm
	15 x 190 x 600...2100 mm / 2000...2100 mm
	19.05 x 190 x 600...2100 mm / 2000...2100 mm
	15 x 240 x 600...2100 mm
	19.05 x 240 x 600...2100 mm
19.05 x 300 x 1450...2950 mm	




HERRINGBONE




127 x 635 mm



107.95 x 647.7 mm



82.55 x 577.85 mm




82.55 x 330.2 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	
	15 x 107.95 x 647.7 mm	
	15 x 82.55 x 577.85 mm	
	15 x 82.55 x 330.2 mm	


CHEVRON / 45°



127 x 500 mm



107.95 x 530 mm




82.55 x 490 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	
	15 x 107.95 x 530 mm	
	15 x 82.55 x 490 mm	

CHEVRON / 60°



190 x 438.78 mm




127 x 548 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN



ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 common	1C


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
	19.05 x 185.28 x 530.72 mm	
	OPERA HOUSE	
	15 x 123.22 x 622.03 mm	
	19.05 x 123.22 x 622.03 mm	


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOREAU



VERSAILLES

GRADE	select & better	S&B
--------------	-----------------	----------------

FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	





COSWICK project

RIGA'S MEŽAPARKS GREAT BANDSTAND

In the beginning of September 2021 after a massive reconstruction the Great Bandstand in Mežaparks had finally opened. It is the biggest venue in Latvia situated in Riga city park. Originally it was built in 1955 to conduct traditional Latvian Song Festival and other big events.

The reconstruction, started in 2017 was the most significant cultural building project in Latvia. Unique architectural and acoustic solutions were deployed and some of these have no counterparts not just in Europe but in the world. This new ultra-modern venue has area of more than 146 thousand sqm. More than 10 thousand performers can be gathered on the stage. The renovated Great Bandstand has almost 30.6 thousand seats and can accommodate up to 70 thousand people.



Coswick had manufactured more than 2 thousand sqm of special high-durability oak planks for this project specifically. Such flooring retains its qualities and look even at high strain and moisture variation which is paramount for this kind of venue.





3-layer 21 mm Coswick planks finished with Reinforced Silk Finish was used for this project.



Project made together with SIA Reaton, Coswick's Partner in Latvia.

Project by SIA J.Pogas arhitektu birojs

Developer SIA LNK Industries



WHITE BREATHE COLLECTION



301
AQUA WHITE / oak
S&B / 1N / silk mat finish



302
AQUA WHITE RUSTIC / oak
1C / CHAR / silk mat finish



303
VANILLA / oak
S&B / 1N / silk mat finish



304
VANILLA RUSTIC / oak
1C / CHAR / silk mat finish



305
ALBATROSS / oak
S&B / 1N / silk mat finish



306
ALBATROSS RUSTIC / oak
1 C / CHAR / silk mat finish



307
WHITE FROST / oak
S&B / 1N / silk finish



308
ALPINE / oak
TAV / CHAR / silk mat finish



309
CRYSTAL WHITE / oak
S&B / 1N / silk mat finish



310
BARCELONA / oak
TAV / CHAR / silk mat finish



311
BATIST / oak
CHAR / silk mat finish




312
SNOWDROP / oak
S&B / 1N / silk mat finish

GRADE	select & better	S&B
	1 common	1C
	1 natur	1N
	tavern	TAV
	character	CHAR


FINISH	silk finish	👉
	silk mat finish	👉

CONSTRUCTION	3-layer T&G engineered flooring
	15 x 127 x 600...2100 mm
	19.05 x 127 x 600...2100 mm
	15 x 190 x 600...2100 mm / 2000...2100 mm
	19.05 x 190 x 600...2100 mm / 2000...2100 mm
	15 x 240 x 600...2100 mm
	19.05 x 240 x 600...2100 mm
19.05 x 300 x 1450...2950 mm	







HERRINGBONE




127 x 635 mm



107.95 x 647.7 mm



82.55 x 577.85 mm




82.55 x 330.2 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	
	15 x 107.95 x 647.7 mm	
	15 x 82.55 x 577.85 mm	
	15 x 82.55 x 330.2 mm	


CHEVRON / 45°



127 x 500 mm



107.95 x 530 mm




82.55 x 490 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	
	15 x 107.95 x 530 mm	
	15 x 82.55 x 490 mm	

CHEVRON / 60°



190 x 438.78 mm




127 x 548 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN



ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 common	1C


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
	19.05 x 185.28 x 530.72 mm	
	OPERA HOUSE	
	15 x 123.22 x 622.03 mm	
	19.05 x 123.22 x 622.03 mm	


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOUREAU



VERSAILLES

GRADE	select & better	S&B
--------------	-----------------	----------------

FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	






COSWICK project

ESCADA

Coswick Chevron Oak Flooring in 1ST
ESCADA CONCEPT STORE IN FLORIDA THE
U.S. AT BAL HARBOUR SHOPS!

Escada's store elegant remodel. For the remodel Escada had installed traditional hardwood flooring in a chevron pattern, offering the space a unique interior design. As a brand beloved by big name celebrities, models and even royalty, it only made sense to create an extraordinary interior – Escada was looking for something bold and different for its new store remodel. The store knew exactly the type of flooring that would represent its brand message and correlate with its elegant interior design. The brand chose Coswick hardwood flooring in Chevron pattern to meet the demands of high traffic commercial interiors.



Product used: Chevron Flooring oak Vanilla



**SIMPLICITY AND ECLECTICS.
APARTMENT IN SINGAPORE**


A spacious living room in an apartment in Singapore. Lots of light, a mix of antique and designer furniture, natural materials and modern technologies.

Coswick **oak Vanilla** flooring was used in the project.

Coswick's partner in Singapore:
Arc Floor Pte Ltd

Photography by Patrick Lau






DARK WOOD COLLECTION



401
CHESTNUT / oak
S&B / 1N / silk finish



402
CHESTNUT RUSTIC / oak
TAV / CHAR / silk finish



403
STONEY CREEK / oak
S&B / 1N / silk mat finish



404
STONEY CREEK
RUSTIC / oak
1C / CHAR / silk mat finish




405
BROWN SUGAR / oak
S&B / 1N / silk mat finish




406
BROWN SUGAR RUSTIC / oak
1 C / CHAR / silk mat finish



407
MARSEILLE / oak
1C / CHAR / silk mat finish



408
CINNAMON / oak
S&B / 1N / silk mat finish



409
PECAN / oak
S&B / 1N / silk mat finish



410
OLD VENICE / oak
TAV / CHAR / silk mat finish





411
MILK CHOCOLATE / дуб
TAV / CHAR / silk finish



412
LONDON / oak
TAV / CHAR / silk mat finish

GRADE	select & better	S&B
	1 common	1C
	1 natur	1N
	tavern	TAV
	character	CHAR

FINISH	silk finish	
	silk mat finish	

CONSTRUCTION

3-layer T&G engineered flooring

15 x 127 x 600...2100 mm

19.05 x 127 x 600...2100 mm


15 x 190 x 600...2100 mm / 2000...2100 mm

19.05 x 190 x 600...2100 mm / 2000...2100 mm


15 x 240 x 600...2100 mm

19.05 x 240 x 600...2100 mm


19.05 x 300 x 1450...2950 mm




HERRINGBONE




127 x 635 mm



107.95 x 647.7 mm



82.55 x 577.85 mm




82.55 x 330.2 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	
	15 x 107.95 x 647.7 mm	
	15 x 82.55 x 577.85 mm	
	15 x 82.55 x 330.2 mm	


CHEVRON / 45°



127 x 500 mm



107.95 x 530 mm




82.55 x 490 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	
	15 x 107.95 x 530 mm	
	15 x 82.55 x 490 mm	

CHEVRON / 60°



190 x 438.78 mm




127 x 548 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN



ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 common	1C


FINISH	silk finish	🔹
	silk mat finish	🔹

CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
	19.05 x 185.28 x 530.72 mm	
	OPERA HOUSE	
	15 x 123.22 x 622.03 mm	
	19.05 x 123.22 x 622.03 mm	


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOUREAU




VERSAILLES

GRADE	select & better	S&B
--------------	-----------------	----------------

FINISH	silk finish	🔹
	silk mat finish	🔹

CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	





COSWICK project

GENTLEMAN'S APARTMENT

The owner of this apartment situated in a countryside apartment complex on the shores of the Minsk Sea is a successful young man who spends a lot of time at work and wanted to create a light and comfortable, truly homely space. Main points for the customer were a separate bedroom, lots of light and handy storage spaces.

Thanks to the free layout it was possible to create a big open space with panoramic windows that connects the entrance, kitchen, living room and relax zone. It also allowed for enough space for a separate bedroom and a balcony where one could easily organise a working space with a majestic view from massive window. This solution allowed to retain the feeling of freedom and air while also creating a cozy and functional private zone.

To note, the bedroom door was made into a stunning, perhaps even extravagant accent, as it was decorated in an English style loved by the customer. Stylistically it's supported by

mouldings and stuccos as well as Herringbone flooring. Hardwood flooring was essential for the customer as only real wood can give the feeling of naturalness, texture and warmth.

All in all, it's a stylish eclectic interior design where dashes of classic are balanced out by modern furniture and signature elements. And manly palette is softened by warm tones of the wood.

Coswick **Stoney Creek Oak** Herringbone flooring was used in the project.

Ekaterina Trukhanova, Designer:

“My signature move is bold accent colours, daring but comfy solutions. My principle is that any desires of the customer, however unthinkable, can be included in the design and look stylish and appropriate. It’s a professional challenge. While it’s a very manly design, it has a lot of warmth and homely charm. I’m proud of my team’s work on this project.”

Design by Ekaterina Trukhanova, Head of Kate Hominess Design Bureau

Photography by Yegor Pyaskovsky

Stylist: Yuliya Mamyedova

Partner: Atmosfera Parketa Hardwood Flooring Design Center




DESIGNER SOLUTION COLLECTION



501 SNOW WHITE / oak
1C / silk mat finish



502 ATACAMA / oak
S&B / 1N / silk finish



503 GREY CASHMERE / oak
TAV / CHAR / silk finish



504 SANDY / oak
TAV / CHAR / silk mat finish



505 ELBRUS / oak
TAV / CHAR / silk mat finish



506 HELSINGBORG / oak
TAV / CHAR / silk mat finish



507 BERGEN / oak
1C / CHAR / silk mat finish



508 SHIBUMI / oak
1C / CHAR / silk mat finish



509 LAKE ELTON / дуб
S&B / 1C / TAV / CHAR
silk finish



510 RAUCHTOPAZ / oak
TAV / CHAR / silk mat finish




511 NORTH CAPE / oak
S&B / 1C / TAV / CHAR
silk finish



512 BIRMINGHAM / oak
CHAR / silk mat finish


GRADE	select & better	S&B
	1 common	1C
	1 natur	1N
	tavern	TAV
	character	CHAR
FINISH	silk finish	☰
	silk mat finish	☱

CONSTRUCTION




3-layer T&G engineered flooring
15 x 127 x 600...2100 mm
19.05 x 127 x 600...2100 mm
15 x 190 x 600...2100 mm / 2000...2100 mm
19.05 x 190 x 600...2100 mm / 2000...2100 mm
15 x 240 x 600...2100 mm
19.05 x 240 x 600...2100 mm
19.05 x 300 x 1450...2950 mm







HERRINGBONE




127 x 635 mm



107.95 x 647.7 mm



82.55 x 577.85 mm




82.55 x 330.2 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	
	15 x 107.95 x 647.7 mm	
	15 x 82.55 x 577.85 mm	
	15 x 82.55 x 330.2 mm	


CHEVRON / 45°



127 x 500 mm



107.95 x 530 mm




82.55 x 490 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	
	15 x 107.95 x 530 mm	
	15 x 82.55 x 490 mm	

CHEVRON / 60°



190 x 438.78 mm




127 x 548 mm

GRADE	select & better	S&B
	1 common	1C
	tavern	TAV


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN



ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 common	1C


FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
	19.05 x 185.28 x 530.72 mm	
	OPERA HOUSE	
	15 x 123.22 x 622.03 mm	
	19.05 x 123.22 x 622.03 mm	


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOREAU



VERSAILLES

GRADE	select & better	S&B
--------------	-----------------	----------------

FINISH	silk finish	☹
	silk mat finish	☹

CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	





COSWICK project


PRS APARTMENT. MONOCHROME INTERIOR "WITH STAIRS TO HEAVEN"

The layout of these apartments in Minsk is designed so that family members could comfortably spend time together and not disturb each other during the rest. The spacious living room, combined with a kitchen-dining room, is separated from the bedroom and a large children's hall with two dressing rooms.

The monochrome range of the interior, which is dominated by white, grey and accented black, is brightened up with natural wood details. Calm minimalistic wall decoration helps to focus on furniture created specially for this project. The unity of the furniture decoration gives a sense of space integrity. And a classic oak flooring in a soft velvety color "Grey Cashmere" adds coziness.

One of the interesting ideas of this project is "stairs" in the hallway. So the architects decorated a climbing frame inventing a backlit niche at the top. Now the owners of the apartments have a "stairway to the sky". Almost like Zakharov's Baron von Munchausen.

Coswick solid hardwood flooring
Herringbone in color **Grey Cashmere**
is used in the project.







Studio ZROBYM architects

Architects: Andrei Lychkouski, Alexey Korablev,
Andrus Bezdar

Photo: Sergey Polipovich

Showroom Woodline





AMERICAN WALNUT COLLECTION



NATURAL
american walnut
S&B / silk finish / lacquer finish



SUNSET
american walnut
S&B / 1N / silk mat finish



FOGGY DAWN
american walnut
S&B / 1N / silk mat finish






CLASSIC
american walnut
S&B / 1N / silk finish




NATURAL
american walnut
TRAD / silk finish




GRADE	select & better	S&B
	1 natur	1N
	traditional	TRAD

FINISH	lacquer finish	
	silk finish	
	silk mat finish	

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 600...2100 mm	
	19.05 x 127 x 600...2100 mm	
	15 x 190 x 600...2100 mm	
	19.05 x 190 x 600...2100 mm	
	19.05 x 240 x 600...2100 mm	






HERRINGBONE



127 x 635 mm

GRADE	select & better	S&B
	1 natur	1N
	traditional	TRAD



FINISH	lacquer finish	
	silk finish	
	silk mat finish	

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 635 mm	
	19.05 x 127 x 635 mm	


Coswick American Walnut Chevron flooring
Coswick White Frost Oak Chevron flooring

Architects and Design Studio INT2 architecture
Architects: Alexander Malinin, Anastasia Sheveleva

Salon Parketa "Real Floors"



CHEVRON / 45°




127 x 500 mm

GRADE	select & better	S&B
	1 natur	1N
	traditional	TRAD


FINISH	lacquer finish	
	silk finish	
	silk mat finish	

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 127 x 500 mm	
	19.05 x 127 x 500 mm	

CHEVRON / 60°



190 x 438.78 mm



127 x 548 mm

GRADE	select & better	S&B
	1 natur	1N
	traditional	TRAD

FINISH	lacquer finish	
	silk finish	
	silk mat finish	

CONSTRUCTION	3-layer T&G engineered flooring	
	15 x 190 x 438.78 mm / 60°	
	19.05 x 190 x 438.78 mm / 60°	
	15 x 127 x 548 mm / 60°	
	19.05 x 127 x 548 mm / 60°	

WALL PANELLING AND A CONCEALED DOOR ARE CREATED USING CHEVRON FLOORING


Wall panelling and a concealed door are created using chevron flooring. A prestigious ADD AWARD was presented for the project realized by a group of St-Petersburgh's architects.

Architectural and design studio, INT2 Architecture, received a prestigious ADD AWARD 2018 for an interior design of an apartment in a XIX century building in the


heart of St-Petersburgh. Coswick hardwood flooring was the floor of choice for this design masterpiece.

A truly harmonious living space full of light and warmth was created using the minimalist approach, working with colour and texture: deep tones of wall and ceiling paint, the play of wood texture, tiles, and ceramics.


PARQUETRY




TILE




TEA LEAF



COFFEE BEAN




ELSINORE




OPERA HOUSE

GRADE	select & better	S&B
	1 natur	1N
	traditional	TRAD
FINISH	lacquer finish	
	silk finish	
	silk mat finish	
CONSTRUCTION	3-layer T&G engineered flooring	
	TILE	
	15 x 190 x 220 mm	
	19.05 x 190 x 220 mm	
	TEA LEAF	
	15 x 190 x 350 mm	
	19.05 x 190 x 350 mm	
	COFFEE BEAN	
	15 x 127 x 433.8 mm	
	19.05 x 127 x 433.8 mm	
	ELSINORE	
	15 x 185.28 x 530.72 mm	
19.05 x 185.28 x 530.72 mm		
OPERA HOUSE		
15 x 123.22 x 622.03 mm		
19.05 x 123.22 x 622.03 mm		


MOSAIC FLOORS




TRIANON




BLOIS




TATTERSHAL




FONTAINEBLEAU




CHENONCEAU




HELMSLEY



BREZE



MONTSOREAU



VERSAILLES

GRADE	select & better	S&B
	traditional	TRAD
FINISH	silk finish	
	silk mat finish	
CONSTRUCTION	3-layer T&G engineered flooring	
	19,05 x 635 x 635 mm	





COSWICK sport

Coswick sports floors are high-quality wood floorings for various purposes, from international tournament arenas to versatile sports grounds and fitness rooms.

All Coswick sports systems are designed in accordance with modern biometric standards and international requirements for professional sports arenas.

The precisely calculated functional characteristics of each structure create a comfortable playing surface for athletes, which ensures high efficiency of training and competitions at all levels, guarantees respect for joints and ligaments and minimizes the possibility of injury.

Coswick sports floors are manufactured with a factory protective and decorative coating and are ready to use immediately after installation. This guarantees an exceptional quality of the coating, reduces labor costs and time for floor installation.



Coswick Sports Floor
at an international squash
tournament Falcon Squash
Cup Open 2017





COSWICK sport



COSWICK SPORTS FLOOR RANGE INCLUDES FIVE TYPES OF STRUCTURES DESIGNED FOR:

- sports grounds for ball games - basketball, volleyball, handball, squash, mini-football, table tennis, badminton, etc.;
- universal gyms for physical education, training and competitions in all kinds of sports, including games;
- gyms and fitness rooms, aerobics, yoga, choreography studios etc.;
- temporary venues for sports dance competitions, fashion shows, presentations and other mass sports and entertainment events.

STANDARTS

Coswick sports floors meet the requirements of the comprehensive European standard EN 14904 and German DIN 18032-2. These standards set out the basic parameters that affect the performance and safety of sports surfaces.



ISO 9001

EN 14904


Tournament Pro Sport®

Tournament Sport®

Matrix Sport®

Fitness Board®


Portable Mosaic Dance®



This is what an international standard for sports floor should be like, it's great for training and competitions. Good for running, jumping, nice to touch. Great!


Anastasia Veremeyenko,
leading Belarusian basketball player

Tournament Pro Sport®




1. Coswick solid hardwood flooring (thickness 19,05 mm)
2. Plywood (thickness 9 mm)
3. Hydroisolating polyethylene film
4. Staple
5. Coswick resilient batten (thickness 27 mm)
6. Shock absorbing element of variable rigidity (thickness 16 mm)
7. Base

Tournament Sport®




1. Coswick solid hardwood flooring (thickness 19,05 mm)
2. Plywood (thickness 9 mm, 2 layout)
3. Staple
4. Shock absorbing element of variable rigidity (thickness 16 mm)
5. Hydroisolating polyethylene film
6. Base

Matrix Sport®




1. Coswick 3-layer engineered hardwood flooring (thickness 15 mm)
2. Coswick resilient batten (thickness 12 mm)
3. Hydroisolating polyethylene film
4. Staple
5. Shock absorbing underlayment (thickness 15 mm)
6. Base

Fitness Board®



1. Coswick 3-layer engineered hardwood flooring (thickness 15 mm)
2. Elastic silane modified polyurethane adhesive **Coswick SPU 303**
3. Shock absorbing underlayment (thickness 15 mm)
4. Base

Portable Mosaic Dance®



1. Coswick portable mosaic sports flooring board
2. Shock-absorbing underlayment (sold separately)
3. Reinforced hydroisolation layer (not included)
4. Base

coswick sports floor features

TECHNICAL CHARACTERISTIC	TOURNAMENT PRO SPORT	TOURNAMENT SPORT	MATRIX SPORT	FITNESS BOARD	PORTABLE MOSAIC DANCE
TYPE OF FLOOR	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A3 (EN14904)
CONSTRUCTION HEIGHT, mm	71	53	42	30	25
SPECIES	Oak, Ash	Oak, Ash	Oak, Ash	Oak, Ash	Oak
DIMENSIONS, mm	82,55 x 300...1845	82,55 x 300...1845	127 x 600...2100	127 x 600...2100	635 x 635
THICKNESS, mm	19,05	19,05	15	15	25
COLOR / FINISH	Natural / Resilient Sport Lacquer	Natural / Resilient Sport Lacquer	Natural / Resilient Sport Lacquer	Natural / UV-oil	Natural / UV-oil
SHOCK ABSORPTION, %	66 EN 14808 (A4 ≥55% <75%)	64 EN 14808 (A4 ≥55% <75%)	60 EN 14808 (A4 ≥55% <75%)	59 EN 14808 (A4 ≥55% <75%)	-
VERTICAL DEFORMATION, mm	3,5 EN 14809 (A4 ≥2,3 <5)	3,1 EN 14809 (A4 ≥2,3 <5)	2,8 EN 14809 (A4 ≥2,3 <5)	3,8 EN 14809 (A4 ≥2,3 <5)	-
FRICTION, NOMINAL UNIT	94 EN 13036-4 (80-110)	94 EN 13036-4 (80-110)	97 EN 13036-4 (80-110)	93 EN 13036-4 (80-110)	89 EN 13036-4 (80-110)
BALL BOUNCE, %	91 EN 12235 (≥90%)	93 EN 12235 (≥90%)	94 EN 12235 (≥90%)	99 EN 12235 (≥90%)	-
ROLLING LOAD, mm	0,21 EN 1569 (≤0,5mm, min. 1500H)	0,21 EN 1569 (≤0,5mm, min. 1500H)	0,15 EN 1569 (≤0,5mm, min. 1500H)	0,28 EN 1569 (≤0,5mm, min. 1500H)	0,3 EN 1569 (≤0,5mm, min. 1500H)



COSWICK acoustic wall panels




ACOUSTICS

Coswick Acoustic panels are an element of walls and ceilings decoration. Its main purpose is to provide the highest degree of acoustic comfort in different rooms, absorbing and diffusing the acoustic energy.

AESTHETICS

Coswick Acoustic panels with the natural finewood veneer allow decorating rooms at the highest level of aesthetic perception. Standard design solutions offer 80 variants of decoration. However, custom solutions are available.



30/2/Ø10 | 30/2/Ø8



29/3/Ø10 | 29/3/Ø8R



Ø8



14/2/Ø10 | 14/2/Ø8




13/3/Ø10 | 13/3/Ø8




Ø6



COSWICK ACOUSTIC 30/2



COSWICK ACOUSTIC 14/2



COSWICK ACOUSTIC 16/16









COSWICK moldings

STAIR NOSING


Stair nosing curves around the stair edge to decorate the transition of hardwood flooring into stairs. It can be used to decorate each stair element too. 130 x 19 mm stair nosing is meant to be used with 3-layer engineered T&G flooring 19mm thick and with thick solid hardwood flooring. 130 x 15 mm stair nosing goes with 3-layer engineered flooring 15 mm thick. Supplied length is 1400 mm.

Coswick stair nosings are manufactured from solid engineered oak or american walnut and come prefinished in all Coswick colors, styles and surface finishes to match flooring collections.



BASEBOARD #11


Coswick baseboard of extended height 120 x 20 mm. It is recommended for use in rooms with high ceiling and doorways. The baseboard length is 2100 mm.






REDUCER

The purpose of a reducer is smooth out the transition between floors of different heights. 51 x 19 mm reducer is to be used with a solid hardwood flooring, 51 x 15 mm reducer goes with 3-layer engineered flooring and 51 x 2.7 mm reducer is to be used with 3-layer Coswick hardwood flooring.



CARPET REDUCER


Carpet reducer is designed to create a smooth transition from hardwood flooring to a thinner or more delicate type of floor covering, such as carpeting. Carpet reducers can compensate for slight difference in height between adjoining floors. 50 x 19 mm carpet reducer is to be use with a solid hardwood flooring, 50 x 15 mm carpet reducer goes with 3-layer engineered flooring.



T-MOLDING

T-moldings are used to finish the space between two areas of wood flooring, between flooring and tiles or carpet that are on the same level. The molding creates a smooth transition between adjacent floorings of the same height. Coswick 46 x 16 mm T-molding is a universal one and goes perfectly with solid, 3-layer Coswick hardwood floorings.

T-moldings are manufactured from oak, and are recommended for use in residential interiors. The length supplied is 2100 mm. T-moldings are available prefinished in all Coswick colors, styles and surface finishes to match the color between floors different in height or at the borders of different floorings.





COSWICK floor care products

Since 1995 Coswick has been creating premium quality hardwood floors of superb and long-lasting performance. The company gained wide manufacturing experience by operating a fully integrated production cycle from logs to readymade prefinished hardwood flooring and became recognized all over the world. We are glad to share our experience with experts and hardwood floors owners as a system of tested products for every stage of hardwood flooring use.

Coswick well-balanced formula and unique quality control system ensure highest quality of primers, adhesives, lacquers, cleaners, renovation and care products suitable for all types of hardwood floors and protective-decorative finishes.

Coswick is dedicated to production of well balanced, high performance, eco-friendly and easy to use products. We are working to make your hardwood flooring everlasting and bringing you joy and happiness.



SPRAY MOP

- Very effective against dust;
- Highly absorbent and long service life;
- Suitable for machine wash.

Ready-to-use Hardwood Cleaner:

- Perfectly removes fat stains and dirt;
- Supplied for lacquered and oiled Coswick hardwood flooring ;
- Non-abrasive, does not leave stains;
- Has a delicate aroma.

CLEANER FOR HARDWOOD FLOORS

Cleaner is designed for constant maintenance of hardwood flooring. Neutral pH ensures the minimal risk of color changes. Non-abrasive, does not leave stains. Has a delicate aroma. Contains 0.5 litres per bottle.

CLEANER CONCENTRATE FOR HARDWOOD FLOORS

Cleaner Concentrate is designed for preparing a Coswick Cleaner for constant maintenance of hardwood flooring. Dilute the cleaner concentrate in 1:50 ratio (i.e. 200 ml of concentrate per 10 l of water).



RENEWER OIL FOR OILED AND HARDWAX-OILED HARDWOOD FLOORS

Renewer oil is developed for renovation of hardwood flooring with UV-oil, natural oils or modified alkyd oil finishes. High wear resistance, creates elastic protective film. Recommended for constant renewal and resurfacing of hardwood flooring. Does not require prior sanding.



PROTECTIVE WAX FOR OILED AND HARDWAX-OILED HARDWOOD FLOORS

Product is developed for renovation of hardwood floors with natural oil, Hardwax or UV-oil finishes. Product creates an elastic, protective and water-repellent surface film.



WOOD STAIN

Coswick stain is designed to tone wooden surfaces. Recommended to renovate small scratches, damages and end grains during the hardwood flooring lifetime exploitation. Suitable for stairs, moldings, wall panels and other.



HEAVY DUTY CLEANER FOR HARDWOOD FLOORS

Product is designed to clean hardwood flooring with any type of finish. Recommended for removal of glue or spot residues after hardwood flooring installation. Use Heavy Duty Cleaner periodically during the hardwood flooring lifetime exploitation if any stain spots and contaminations which are hard-to-reach with cleaner for constant maintenance.

WAX FILLER


Ready-to-use wax for quick remove of small damages, scratches and dents, that appear during the hardwood flooring lifetime exploitation. Wax filler is available in all Coswick colors.





COSWICK technical information

- construction
- finishing systems
- grades
- installation
- production program





COSWICK construction

3-LAYER T&G ENGINEERED FLOORING

- Finely balanced and symmetrical 3-layer construction retains its size in a wider range of environmental humidity. All three layers are made of hardwood timber: top lamella from oak or american walnut, middle core from birch and base lamella from oak or birch. Using birch as a core instead of softer pine species increases the stability of the board as birch is far more resistant to deforming. Top and base lamellas have the same thickness, which allows them to affect the core symmetrically in case of changes in the environment. This increases the balance of the construction and practically eliminates the possibility of twisting. Usage of cork compensators in the core layer decreases straining in case of variations in the environmental humidity, providing additional stability.
- Durable and secure traditional tongue & groove lock. Precise geometry and use of birch in the middle core layer ensures absence of chips and creases on the touching surfaces as well as eliminates creaking.
- Sawn lamella is used for the top layer, which excludes any possibilities of internal cracking. Sawn lamella's texture is identical to the texture of a solid board.

- Extra-durable bonding of lamellas using special polyurethane hot-melt adhesive. It is extremely strong, moisture-resistant and highly elastic. There is no delaminating of the board at the seams even in case of flooding and no "ageing" effect: bonding qualities are retained over the entire life of the floorboards.
- Environmental safety: no formaldehyde emissions.
- Reliability and longevity of the construction is reaffirmed by a lifelong structural integrity guarantee.


INSTALLATION

- 3-layer T&G engineered floorboard can be installed below, on or above ground level.
- Can be installed on heated floors.
- Installed through rigid positioning over concrete using adhesive or on wooden (plywood) base using nails.




WIDTH, mm	127		190		240		300
THICKNESS, mm	15	19,05	15	19,05	15	19,05	19,05
TOP LAMELLA THICKNESS, mm	3,2	3,2	3,2	3,2	3,2	3,2	3,2
LENGTH, mm	600...2100	600...2100	600...2100 / 2000...2100	600...2100 / 2000...2100	600...2100	600...2100	1450...2950
MICROBEVEL, mm	0,5	0,5	0,5	0,5	0,5	0,5	1

15 mm



19,05 mm





COSWICK finishing systems

coswick silk finish

TECHNOLOGY

Coswick Silk Finish is an innovative deep penetrating UV-cured finish based on modified plant-oil acrylates applied in 4 layers.

Silk Finish easily penetrates surface pores of the wood and cures under UV-lights forming a durable film. The pores look half-open and accentuate the natural texture of the wood. The wood continues to breathe retaining a healthy micro-climate in the room.

FEATURES

Coswick Silk Finish is highly elastic and moisture and temperature fluctuation resistant, it protects the floorboards from dirt and scuffing. The "half-open" effect on the pores and the brushing technology conveys the relief, depth and natural texture of the boards. Silk Finish surface is just as warm and pleasant to the touch as natural, untreated wood.

Faint satin sheen and texture conceals marks, dents and scratches, facilitating maintenance.

ECOLOGY

Environmentally friendly finish made from modified plant oils does not contain solvents or harmful compounds.

CARE & MAINTENANCE

The finish does not require complex maintenance, restores easily and renews during use which prolongs its service life almost indefinitely.

Regular maintenance includes dry and wet cleaning using Coswick care products for oiled floorboards. Parts affected by most stress can be easily restored with Coswick renovation oil for floors. The product is applied directly over the old layer without sanding. Afterwards the finish restores its original look and durability.

Depending on the wear, partial restoration of hardwood flooring in living spaces should be made 1-2 a year, full renewal is recommended every 3-5 years.



SILK FINISH



SILK MAT FINISH

	TYPE OF FLOORING FINISH		
	SILK FINISH	SILK MAT FINISH	LACQUER FINISH
CLASS OF MATERIALS	UV-cured modified oil-acrylates	UV-cured modified oil-acrylates	Polyurethane-acrylates UV-curing
SURFACE TYPE	Semi-closed pores, wire brushed	Semi-closed pores, wire brushed	Closed pores
GLOSS LEVEL	Silk matte	Ultra matte	Semigloss or matte
WEAR-RESISTANCE	High	High	Very high
RESISTANCE TO CHEMICALS	High	High	Very high
CARE AND MAINTENANCE	Regular care, restorative care, finish renewal	Regular care, restorative care, finish renewal	Regular care
REPAIRABILITY	Medium	Medium	Low
RANGE OF USE	Residential and commercial	Residential and commercial	Residential and commercial
FINISH WARRANTY	-	-	25 years for residential, 35 years for residential (for commercial finish)

coswick lacquer finish

TECHNOLOGY

Lacquer finish is 12 coats of UV-cured lacquer with corundum micro-particles. This innovative technology creates a perfectly smooth surface with closed pores and provides for an extremely high wear-resistant finish.

FEATURES

The key defining feature of Lacquer finish is its extreme durability. It is achieved through the use of special primers containing corundum micro-particles. These primers provide the finish with unique wear-resistance, which surpasses that of the traditional polyurethane varnishes tenfold. The upper coat of the lacquer is based on the cross-linked polymers, a new material created using nanotechnologies. It gives the finish a special wear-resistance to chafing while retaining high elasticity.



LACQUER FINISH

ECOLOGY

Eco-friendly finish without solvents or volatile compounds.

CARE & MAINTENANCE


Apart from regular care, lacquer finish does not entail any maintenance or restoration for many years.



COSWICK grades

SELECT & BETTER (S&B)

Slight colour variation and uniform wood texture. Minor areas with color tone variations of various natural shades are allowed. Minor swirls and veins of light-brown color are allowed. Thoroughly restored non-contrasting knots up to 10mm are allowed.




1 COMMON (1C)

Moderately contrasting color variation. Low-contrast sapwood, veins and swirls are allowed. Restored knots up to 25 mm and other minor defects. In dark colors the surface appears sufficiently uniform in tone and texture, knots and other inhomogeneities are practically invisible.



TAVERN (TAV)

Moderately contrasting color variation. Restored knots, sapwood, veins, swirls, curls, wormholes are allowed. Special coating technology highlights knots and other inhomogeneities, emphasizes the natural beauty, uniqueness and diversity of the oak grain texture.



1 NATUR (1N)

Moderate color variation. Low-contrast sapwood, veins and other minor defects are allowed. Restored knots up to 35 mm on parquet boards 190 mm and 240 mm wide and up to 60 mm on wide-format parquet boards 300 mm wide. In dark colors the surface appears sufficiently uniform in tone and texture, knots and other irregularities are practically invisible.



CHARACTER (CHAR)

Moderately contrasting color variation, sapwood, veins and grain. Knots of any size, restored, surface and end cracks, wormholes are allowed. Cracks and knots create an antique effect, emphasize the naturalness and solidity of oak hardwood flooring.





COSWICK installation


IMPORTANT!

Before starting the installation of Coswick engineered hardwood flooring, carefully read the information provided in this section.

Coswick hardwood floors are manufactured in accordance with the highest quality standards. Each plank undergoes a thorough and multi-stage quality inspection. However, the final inspection prior to installation is the responsibility of the installer and/or the owner. Make sure that the flooring matches the desired color, style, construction, and finish quality.

Wood is a natural material; therefore, some variations in color and texture are inevitable and are directly related to the natural characteristics of specific wood species.

When placing an order, always include at least 5% extra flooring to account for cutting and trimming beyond the actual square footage of the room.



**INSTALLATION OF 3-LAYER
HARDWOOD FLOORING:**

- on concrete subfloor
- floating method



**INSTALLATION OF
3-LAYER HARDWOOD
FLOORING WITH
CLICK-LOCK SYSTEM**



**INSTALLATION OF
MOSAIC FLOORING**



**INSTALLATION OF
CHEVRON T&G**



**INSTALLATION OF
HERRINGBONE
T&G**



**INSTALLATION
ON HEATED
SUBFLOOR**



PRODUCTION PROGRAM 2026

NATURAL TOUCH COLLECTION

COLOR	FINISH	PLANK FLOORING									HERRINGBONE					CHEVRON			
		19,05 x 300 x 1450...2950 mm	15 x 240 x 600...2100 mm	19,05 x 240 x 600...2100 mm	15 x 190 x 2000...2100 mm	15 x 190 x 600...2100 mm	19,05 x 190 x 600...2100 mm	19,05 x 190 x 2000...2100 mm	15 x 127 x 600...2100 mm	19,05 x 127 x 600...2100 mm	15 x 127 x 635 mm	19,05 x 127 x 635 mm	15 x 107,95 x 647,7 mm	15 x 82,55 x 577,85 mm	15 x 82,55 x 330,2 mm	15 x 127 x 500 mm	19,05 x 127 x 500 mm	15 x 107,95 x 530 mm	15 x 82,55 x 490 mm
TITANIUM BUFF	Silk mat finish	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 101		1118-3831-10	1121-3831-10	1135-3831-10	1120-1831-10	1172-1831-10	1163-1831-10	1119-1831-10	1167-1831-10	1154-1831-10	1174-1831-10	1122-1831-10	1168-1831-10	1171-1831-10	1151-1831-10	1175-1831-10	1134-1831-10	1169-1831-10	1173-1831-10
TITANIUM BUFF RUSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 102		1118-7831-20	1121-7831-20	1135-7831-20	1120-7831-20	1172-7831-20	1163-7831-20	1119-7831-20	1167-7831-20	1154-7831-20	1174-7831-20	1122-7831-20	1168-7831-20	1171-7831-20	1151-7831-20	1175-7831-20	1134-7831-20	1169-7831-20	1173-7831-20
RAW SIENNA	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 103		1118-3809-10	1121-3809-10	1135-3809-10	1120-3809-10	1172-3809-10	1163-3809-10	1119-3809-10	1167-3809-10	1154-3809-10	1174-3809-10	1122-3809-10	1168-3809-10	1171-3809-10	1151-3809-10	1175-3809-10	1134-3809-10	1169-3809-10	1173-3809-10
SIENNA RUSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 104		1118-7809-20	1121-7809-20	1135-7809-20	1120-7809-20	1172-7809-20	1163-7809-20	1119-7809-20	1167-7809-20	1154-7809-20	1174-7809-20	1122-7809-20	1168-7809-20	1171-7809-20	1151-7809-20	1175-7809-20	1134-7809-20	1169-7809-20	1173-7809-20
CEDAR	Silk finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 105		1118-3281-10	1121-3281-10	1135-3281-10	1120-3281-10	1172-3281-10	1163-3281-10	1119-3281-10	1167-3281-10	1154-3281-10	1174-3281-10	1122-3281-10	1168-3281-10	1171-3281-10	1151-3281-10	1175-3281-10	1134-3281-10	1169-3281-10	1173-3281-10
CEDAR RUSTIC	Silk finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 106		1118-7281-20	1121-7281-20	1135-7281-20	1120-7281-20	1172-7281-20	1163-7281-20	1119-7281-20	1167-7281-20	1154-7281-20	1174-7281-20	1122-7281-20	1168-7281-20	1171-7281-20	1151-7281-20	1175-7281-20	1134-7281-20	1169-7281-20	1173-7281-20
GENEVA	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 107		1118-7820-30	1121-7820-30	1135-7820-30	1120-7820-30	1172-7820-30	1163-7820-30	1119-7820-30	1167-7820-30	1154-7820-30	1174-7820-30	1122-7820-30	1168-7820-30	1171-7820-30	1151-7820-30	1175-7820-30	1134-7820-30	1169-7820-30	1173-7820-30
NATURAL	Silk finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 108		1118-3201-10	1121-3201-10	1135-3201-10	1120-3201-10	1172-3201-10	1163-3201-10	1119-3201-10	1167-3201-10	1154-3201-10	1174-3201-10	1122-3201-10	1168-3201-10	1171-3201-10	1151-3201-10	1175-3201-10	1134-3201-10	1169-3201-10	1173-3201-10
VIENNA	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR											
Nº 109		1118-7819-30	1121-7819-30	1135-7819-30	1120-7819-30	1172-7819-30	1163-7819-30	1119-7819-30											
ALMOND	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 110		1118-3854-10	1121-3854-10	1135-3854-10	1120-3854-10	1172-3854-10	1163-3854-10	1119-3854-10	1167-3854-10	1154-3854-10	1174-3854-10	1122-3854-10	1168-3854-10	1171-3854-10	1151-3854-10	1175-3854-10	1134-3854-10	1169-3854-10	1173-3854-10
STRAW	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 111		1118-7841-20	1121-7841-20	1135-7841-20	1120-7841-20	1172-7841-20	1163-7841-20	1119-7841-20	1167-7841-20	1154-7841-20	1174-7841-20	1122-7841-20	1168-7841-20	1171-7841-20	1151-7841-20	1175-7841-20	1134-7841-20	1169-7841-20	1173-7841-20
BARN	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 112		1118-7814-20	1121-7814-20	1135-7814-20	1120-7814-20	1172-7814-20	1163-7814-20	1119-7814-20	1167-7814-20	1154-7814-20	1174-7814-20	1122-7814-20	1168-7814-20	1171-7814-20	1151-7814-20	1175-7814-20	1134-7814-20	1169-7814-20	1173-7814-20

S&B select & better
1C 1 common
TAV tavern
1N 1 natur
CHAR character

CHEVRON				PARQUETRY											MOSAIC FLOORING										
15 x 190 x 438,78 mm	19,05 x 190 x 438,78 mm	15 x 127 x 548 mm	19,05 x 127 x 548 mm	ELSINOPE 15 x 185,28 x 530,72 mm	ELSINOPE 19,05 x 185,28 x 530,72 mm	TILE 15 x 190 x 220 mm	TILE 19,05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19,05 x 190 x 350 mm	OPERA HOUSE 15 x 123,22 x 622,03 mm	OPERA HOUSE 19,05 x 123,22 x 622,03 mm	COFFEE BEAN 15 x 127 x 433,8 mm	COFFEE BEAN 19,05 x 127 x 433,8 mm	BLOIS 19,05 x 635 x 635 mm	BREZE 19,05 x 635 x 635 mm	VERSAILLES 19,05 x 635 x 635 mm	MONTSOPEAU 19,05 x 635 x 635 mm	TATTERSHAL 19,05 x 635 x 635 mm	TRIANON 19,05 x 635 x 635 mm	FONTAINBLEAU 19,05 x 635 x 635 mm	HELMSLEY 19,05 x 635 x 635 mm	CHENONCEAU 19,05 x 635 x 635 mm			
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-1831-10	1183-1831-10	1176-1831-10	1123-1831-10	1110-1831-10	1127-1831-10	1197-1831-10	1193-1831-10	1198-1831-10	1186-1831-10	1136-1831-10	1137-1831-10	1187-1831-10	1150-1831-10	1106-1831-10	1159-1831-10	1143-1831-10	1158-1831-10	1181-1831-10	1144-1831-10	1160-1831-10	1157-1831-10	1155-1831-10			
1C	1C	1C	1C			1C	1C																		
1192-3831-20	1183-3831-20	1176-3831-20	1123-3831-20			1197-3831-20	1193-3831-20																		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-1809-10	1183-1809-10	1176-1809-10	1123-1809-10	1110-1809-10	1127-1809-10	1197-1809-10	1193-1809-10	1198-1809-10	1186-1809-10	1136-1809-10	1137-1809-10	1187-1809-10	1150-1809-10	1106-1809-10	1159-1809-10	1143-1809-10	1158-1809-10	1181-1809-10	1144-1809-10	1160-1809-10	1157-1809-10	1155-1809-10			
1C	1C	1C	1C			1C	1C																		
1192-3809-20	1183-3809-20	1176-3809-20	1123-3809-20			1197-3809-20	1193-3809-20																		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-1281-10	1183-1281-10	1176-1281-10	1123-1281-10	1110-1281-10	1127-1281-10	1197-1281-10	1193-1281-10	1198-1281-10	1186-1281-10	1136-1281-10	1137-1281-10	1187-1281-10	1150-1281-10	1106-1281-10	1159-1281-10	1143-1281-10	1158-1281-10	1181-1281-10	1144-1281-10	1160-1281-10	1157-1281-10	1155-1281-10			
TAV	TAV	TAV	TAV			1C	1C																		
1192-4281-20	1183-4281-20	1176-4281-20	1123-4281-20			1197-3281-20	1193-3281-20																		
TAV	TAV	TAV	TAV	S&B	S&B	1C	1C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-4820-30	1183-4820-30	1176-4820-30	1123-4820-30	1110-1820-10	1127-1820-10	1197-3820-30	1193-3820-30	1198-1820-10	1186-1820-10	1136-1820-10	1137-1820-10	1187-1820-10	1150-1820-10	1106-1820-10	1159-1820-10	1143-1820-10	1158-1820-10	1181-1820-10	1144-1820-10	1160-1820-10	1157-1820-10	1155-1820-10			
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-1201-10	1183-1201-10	1176-1201-10	1123-1201-10	1110-1201-10	1127-1201-10	1197-1201-10	1193-1201-10	1198-1201-10	1186-1201-10	1136-1201-10	1137-1201-10	1187-1201-10	1150-1201-10	1106-1201-10	1159-1201-10	1143-1201-10	1158-1201-10	1181-1201-10	1144-1201-10	1160-1201-10	1157-1201-10	1155-1201-10			
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-1854-10	1183-1854-10	1176-1854-10	1123-1854-10	1110-1854-10	1127-1854-10	1197-1854-10	1193-1854-10	1198-1854-10	1186-1854-10	1136-1854-10	1137-1854-10	1187-1854-10	1150-1854-10	1106-1854-10	1159-1854-10	1143-1854-10	1158-1854-10	1181-1854-10	1144-1854-10	1160-1854-10	1157-1854-10	1155-1854-10			
TAV	TAV	TAV	TAV	S&B	S&B	1C	1C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-4841-20	1183-4841-20	1176-4841-20	1123-4841-20	1110-1841-10	1127-1841-10	1197-3841-20	1193-3841-20	1198-1841-10	1186-1841-10	1136-1841-10	1137-1841-10	1187-1841-10	1150-1841-10	1106-1841-10	1159-1841-10	1143-1841-10	1158-1841-10	1181-1841-10	1144-1841-10	1160-1841-10	1157-1841-10	1155-1841-10			
TAV	TAV	TAV	TAV	S&B	S&B	1C	1C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B			
1192-4814-20	1183-4814-20	1176-4814-20	1123-4814-20	1110-1814-10	1127-1814-10	1197-3814-20	1193-3814-20	1198-1814-10	1186-1814-10	1136-1814-10	1137-1814-10	1187-1814-10	1150-1814-10	1106-1814-10	1159-1814-10	1143-1814-10	1158-1814-10	1181-1814-10	1144-1814-10	1160-1814-10	1157-1814-10	1155-1814-10			

CHEVRON				PARQUETRY										MOSAIC FLOORING									
15 x 190 x 438.78 mm	19.05 x 190 x 438.78 mm	15 x 127 x 548 mm	19.05 x 127 x 548 mm	ELSINORE 15 x 185.28 x 530.72 mm	ELSINORE 19.05 x 185.28 x 530.72 mm	TILE 15 x 190 x 220 mm	TILE 19.05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19.05 x 190 x 350 mm	OPERA HOUSE 15 x 123.22 x 622.03 mm	OPERA HOUSE 19.05 x 123.22 x 622.03 mm	COFFEE BEAN 15 x 127 x 433.8 mm	COFFEE BEAN 19.05 x 127 x 433.8 mm	BLOIS 19.05 x 635 x 635 mm	BREZE 19.05 x 635 x 635 mm	VERSAILLES 19.05 x 635 x 635 mm	MONTSOPEAU 19.05 x 635 x 635 mm	TATTERSHAL 19.05 x 635 x 635 mm	TRIANON 19.05 x 635 x 635 mm	FONTAINBLEAU 19.05 x 635 x 635 mm	HELMSLEY 19.05 x 635 x 635 mm	CHENONCEAU 19.05 x 635 x 635 mm	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-1215-10	1183-1215-10	1176-1215-10	1123-1215-10	1110-1215-10	1127-1215-10	1197-1215-10	1193-1215-10	1198-1215-10	1186-1215-10	1136-1215-10	1137-1215-10	1187-1215-10	1150-1215-10	1106-1215-10	1159-1215-10	1143-1215-10	1158-1215-10	1181-1215-10	1144-1215-10	1160-1215-10	1157-1215-10	1155-1215-10	
1 C	1 C	1 C	1 C			1 C	1 C																
1192-3215-20	1183-3215-20	1176-3215-20	1123-3215-20			1197-3215-20	1193-3215-20																
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-1247-10	1183-1247-10	1176-1247-10	1123-1247-10	1110-1247-10	1127-1247-10	1197-1247-10	1193-1247-10	1198-1247-10	1186-1247-10	1136-1247-10	1137-1247-10	1187-1247-10	1150-1247-10	1106-1247-10	1159-1247-10	1143-1247-10	1158-1247-10	1181-1247-10	1144-1247-10	1160-1247-10	1157-1247-10	1155-1247-10	
1 C	1 C	1 C	1 C			1 C	1 C																
1192-3247-20	1183-3247-20	1176-3247-20	1123-3247-20			1197-3247-20	1193-3247-20																
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-1867-10	1183-1867-10	1176-1867-10	1123-1867-10	1110-1867-10	1127-1867-10	1197-1867-10	1193-1867-10	1198-1867-10	1186-1867-10	1136-1281-10	1137-1281-10	1187-1867-10	1150-1867-10	1106-1867-10	1159-1867-10	1143-1867-10	1158-1867-10	1181-1867-10	1144-1867-10	1160-1867-10	1157-1867-10	1155-1867-10	
1 C	1 C	1 C	1 C			1 C	1 C																
1192-3867-20	1183-3867-20	1176-3867-20	1123-3867-20			1197-3867-20	1193-3867-20																
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-4833-20	1183-4833-20	1176-4833-20	1123-4833-20	1110-1833-10	1127-1833-10	1197-3833-20	1193-3833-20	1198-1833-10	1186-1833-10	1136-1833-10	1137-1833-10	1187-1833-10	1150-1833-10	1106-1833-10	1159-1833-10	1143-1833-10	1158-1833-10	1181-1833-10	1144-1833-10	1160-1833-10	1157-1833-10	1155-1833-10	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-1289-10	1183-1289-10	1176-1289-10	1123-1289-10	1110-1289-10	1127-1289-10	1197-1289-10	1193-1289-10	1198-1289-10	1186-1289-10	1136-1289-10	1137-1289-10	1187-1289-10	1150-1289-10	1106-1289-10	1159-1289-10	1143-1289-10	1158-1289-10	1181-1289-10	1144-1289-10	1160-1289-10	1157-1289-10	1155-1289-10	
1 C	1 C	1 C	1 C	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-3855-20	1183-3855-20	1176-3855-20	1123-3855-20	1110-1855-10	1127-1855-10	1197-3855-20	1193-3855-20	1198-1855-10	1186-1855-10	1136-1855-10	1137-1855-10	1187-1855-10	1150-1855-10	1106-1855-10	1159-1855-10	1143-1855-10	1158-1855-10	1181-1855-10	1144-1855-10	1160-1855-10	1157-1855-10	1155-1855-10	
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-4863-30	1183-4863-30	1176-4863-30	1123-4863-30	1110-1863-10	1127-1863-10	1197-3863-30	1193-3863-30	1198-1863-10	1186-1863-10	1136-1863-10	1137-1863-10	1187-1863-10	1150-1863-10	1106-1863-10	1159-1863-10	1143-1863-10	1158-1863-10	1181-1863-10	1144-1863-10	1160-1863-10	1157-1863-10	1155-1863-10	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-1290-10	1183-1290-10	1176-1290-10	1123-1290-10	1110-1290-10	1127-1290-10	1197-1290-10	1193-1290-10	1198-1290-10	1186-1290-10	1136-1290-10	1137-1290-10	1187-1290-10	1150-1290-10	1106-1290-10	1159-1290-10	1143-1290-10	1158-1290-10	1181-1290-10	1144-1290-10	1160-1290-10	1157-1290-10	1155-1290-10	
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1192-4230-20	1183-4230-20	1176-4230-20	1123-4230-20	1110-1230-10	1127-1230-10	1197-3230-20	1193-3230-20	1198-1230-10	1186-1230-10	1136-1230-10	1137-1230-10	1187-1230-10	1150-1230-10	1106-1230-10	1159-1230-10	1143-1230-10	1158-1230-10	1181-1230-10	1144-1230-10	1160-1230-10	1157-1230-10	1155-1230-10	
																							S&B
																							1155-1887-10

WHITE BREATHE COLLECTION

COLOR	FINISH	PLANK FLOORING									HERRINGBONE					CHEVRON			
		19.05 x 300 x 1450...2950 mm	15 x 240 x 600...2100 mm	19.05 x 240 x 600...2100 mm	15 x 190 x 2000...2100 mm	15 x 190 x 600...2100 mm	19.05 x 190 x 600...2100 mm	19.05 x 190 x 2000...2100 mm	15 x 127 x 600...2100 mm	19.05 x 127 x 600...2100 mm	15 x 127 x 635 mm	19.05 x 127 x 635 mm	15 x 107.95 x 647.7 mm	15 x 82.55 x 577.85 mm	15 x 82.55 x 330.2 mm	15 x 127 x 500 mm	19.05 x 127 x 500 mm	15 x 107.95 x 530 mm	15 x 82.55 x 490 mm
AQUA WHITE	Silk mat finish	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 301		1118-3842-10	1121-3842-10	1135-3842-10	1120-1842-10	1172-1842-10	1163-1842-10	1119-1842-10	1167-1842-10	1154-1842-10	1174-1842-10	1122-1842-10	1168-1842-10	1171-1842-10	1151-1842-10	1175-1842-10	1134-1842-10	1169-1842-10	1173-1842-10
AQUA WHITE RÚSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 302		1118-7842-20	1121-7842-20	1135-7842-20	1120-7842-20	1172-7842-20	1163-7842-20	1119-7842-20	1167-3842-20	1154-3842-20	1174-3842-20	1122-3842-20	1168-3842-20	1171-3842-20	1151-3842-20	1175-3842-20	1134-3842-20	1169-3842-20	1173-3842-20
VANILLA	Silk mat finish	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 303		1118-1808-10	1121-1808-10	1135-1808-10	1120-1808-10	1172-1808-10	1163-1808-10	1119-1808-10	1167-1808-10	1154-1808-10	1174-1808-10	1122-1808-10	1168-1808-10	1171-1808-10	1151-1808-10	1175-1808-10	1134-1808-10	1169-1808-10	1173-1808-10
VANILLA RÚSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 304		1118-7808-20	1121-7808-20	1135-7808-20	1120-7808-20	1172-7808-20	1163-7808-20	1119-7808-20	1167-3808-20	1154-3808-20	1174-3808-20	1122-3808-20	1168-3808-20	1171-3808-20	1151-3808-20	1175-3808-20	1134-3808-20	1169-3808-20	1173-3808-20
ALBATROSS	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 305		1118-3822-10	1121-3822-10	1135-3822-10	1120-3822-10	1172-3822-10	1163-3822-10	1119-3822-10	1167-1822-10	1154-1822-10	1174-1822-10	1122-1822-10	1168-1822-10	1171-1822-10	1151-1822-10	1175-1822-10	1134-1822-10	1169-1822-10	1173-1822-10
ALBATROSS RÚSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 306		1118-7822-20	1121-7822-20	1135-7822-20	1120-7822-20	1172-7822-20	1163-7822-20	1119-7822-20	1167-3822-20	1154-3822-20	1174-3822-20	1122-3822-20	1168-3822-20	1171-3822-20	1151-3822-20	1175-3822-20	1134-3822-20	1169-3822-20	1173-3822-20
WHITE FROST	Silk finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 307		1118-3258-10	1121-3258-10	1135-3258-10	1120-3258-10	1172-3258-10	1163-3258-10	1119-3258-10	1167-1258-10	1154-1258-10	1174-1258-10	1122-1258-10	1168-1258-10	1171-1258-10	1151-1258-10	1175-1258-10	1134-1258-10	1169-1258-10	1173-1258-10
ALPINE	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 308		1118-7878-20	1121-7878-20	1135-7878-20	1120-7878-20	1172-7878-20	1163-7878-20	1119-7878-20	1167-4878-20	1154-4878-20	1174-4878-20	1122-4878-20	1168-4878-20	1171-4878-20	1151-4878-20	1175-4878-20	1134-4878-20	1169-4878-20	1173-4878-20
CRYSTAL WHITE	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 309		1118-3888-10	1121-3888-10	1135-3888-10	1120-3888-10	1172-3888-10	1163-3888-10	1119-3888-10	1167-1888-10	1154-1888-10	1174-1888-10	1122-1888-10	1168-1888-10	1171-1888-10	1151-1888-10	1175-1888-10	1134-1888-10	1169-1888-10	1173-1888-10
BARCELONA	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 310		1118-7827-20	1121-7827-20	1135-7827-20	1120-7827-20	1172-7827-20	1163-7827-20	1119-7827-20	1167-4827-20	1154-4827-20	1174-4827-20	1122-4827-20	1168-4827-20	1171-4827-20	1151-4827-20	1175-4827-20	1134-4827-20	1169-4827-20	1173-4827-20
BATISTE	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR											
Nº 311		1118-7818-30	1121-7818-30	1135-7818-30	1120-7818-30	1172-7818-30	1163-7818-30	1119-7818-30											
SNOWDROP	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 312		1118-3893-10	1121-3893-10	1135-3893-10	1120-3893-10	1172-3893-10	1163-3893-10	1119-3893-10	1167-1893-10	1154-1893-10	1174-1893-10	1122-1893-10	1168-1893-10	1171-1893-10	1151-1893-10	1175-1893-10	1134-1893-10	1169-1893-10	1173-1893-10

CHEVRON				PARQUETRY											MOSAIC FLOORING									
15 x 190 x 438.78 mm	19.05 x 190 x 438.78 mm	15 x 127 x 548 mm	19.05 x 127 x 548 mm	ELSINORE 15 x 185.28 x 530.72 mm	ELSINORE 19.05 x 185.28 x 530.72 mm	TILE 15 x 190 x 220 mm	TILE 19.05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19.05 x 190 x 350 mm	OPERA HOUSE 15 x 123.22 x 622.03 mm	OPERA HOUSE 19.05 x 123.22 x 622.03 mm	COFFEE BEAN 15 x 127 x 433.8 mm	COFFEE BEAN 19.05 x 127 x 433.8 mm	BLOIS 19.05 x 635 x 635 mm	BREZE 19.05 x 635 x 635 mm	VERSAILLES 19.05 x 635 x 635 mm	MONTSOBEAU 19.05 x 635 x 635 mm	TATTERSHAL 19.05 x 635 x 635 mm	TRIANON 19.05 x 635 x 635 mm	FONTAINBLEAU 19.05 x 635 x 635 mm	HELMISLEY 19.05 x 635 x 635 mm	CHENONCEAU 19.05 x 635 x 635 mm		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1842-10	1183-1842-10	1176-1842-10	1123-1842-10	1110-1842-10	1127-1842-10	1197-1842-10	1193-1842-10	1198-1842-10	1186-1842-10	1136-1842-10	1137-1842-10	1187-1842-10	1150-1842-10	1106-1842-10	1159-1842-10	1143-1842-10	1158-1842-10	1181-1842-10	1144-1842-10	1160-1842-10	1157-1842-10	1155-1842-10		
1 C	1 C	1 C	1 C			1 C	1 C																	
1192-3842-20	1183-3842-20	1176-3842-20	1123-3842-20			1197-3842-20	1193-3842-20																	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1808-10	1183-1808-10	1176-1808-10	1123-1808-10	1110-1808-10	1127-1808-10	1197-1808-10	1193-1808-10	1198-1808-10	1186-1808-10	1136-1808-10	1137-1808-10	1187-1808-10	1150-1808-10	1106-1808-10	1159-1808-10	1143-1808-10	1158-1808-10	1181-1808-10	1144-1808-10	1160-1808-10	1157-1808-10	1155-1808-10		
1 C	1 C	1 C	1 C			1 C	1 C																	
1192-3808-20	1183-3808-20	1176-3808-20	1123-3808-20			1197-3808-20	1193-3808-20																	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1822-10	1183-1822-10	1176-1822-10	1123-1822-10	1110-1822-10	1127-1822-10	1197-1822-10	1193-1822-10	1198-1822-10	1186-1822-10	1136-1822-10	1137-1822-10	1187-1822-10	1150-1822-10	1106-1822-10	1159-1822-10	1143-1822-10	1158-1822-10	1181-1822-10	1144-1822-10	1160-1822-10	1157-1822-10	1155-1822-10		
1 C	1 C	1 C	1 C			1 C	1 C																	
1192-3822-20	1183-3822-20	1176-3822-20	1123-3822-20			1197-3822-20	1193-3822-20																	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1258-10	1183-1258-10	1176-1258-10	1123-1258-10	1110-1258-10	1127-1258-10	1197-1258-10	1193-1258-10	1198-1258-10	1186-1258-10	1136-1258-10	1137-1258-10	1187-1258-10	1150-1258-10	1106-1258-10	1159-1258-10	1143-1258-10	1158-1258-10	1181-1258-10	1144-1258-10	1160-1258-10	1157-1258-10	1155-1258-10		
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-4878-20	1183-4878-20	1176-4878-20	1123-4878-20	1110-1878-10	1127-1878-10	1197-3878-20	1193-3878-20	1198-1878-10	1186-1878-10	1136-1878-10	1137-1878-10	1187-1878-10	1150-1878-10	1106-1878-10	1159-1878-10	1143-1878-10	1158-1878-10	1181-1878-10	1144-1878-10	1160-1878-10	1157-1878-10	1155-1878-10		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B											
1192-1888-10	1183-1888-10	1176-1888-10	1123-1888-10	1110-1888-10	1127-1888-10	1197-1888-10	1193-1888-10	1198-1888-10	1186-1888-10	1136-1888-10	1137-1888-10	1187-1888-10	1150-1888-10											
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-4827-20	1183-4827-20	1176-4827-20	1123-4827-20	1110-1827-10	1127-1827-10	1197-3827-20	1193-3827-20	1198-1827-10	1186-1827-10	1136-1827-10	1137-1827-10	1187-1827-10	1150-1827-10	1106-1827-10	1159-1827-10	1143-1827-10	1158-1827-10	1181-1827-10	1144-1827-10	1160-1827-10	1157-1827-10	1155-1827-10		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1893-10	1183-1893-10	1176-1893-10	1123-1893-10	1110-1893-10	1127-1893-10	1197-1893-10	1193-1893-10	1198-1893-10	1186-1893-10	1136-1893-10	1137-1893-10	1187-1893-10	1150-1893-10	1106-1893-10	1159-1893-10	1143-1893-10	1158-1893-10	1181-1893-10	1144-1893-10	1160-1893-10	1157-1893-10	1155-1893-10		

DARK WOOD COLLECTION

COLOR	FINISH	PLANK FLOORING									HERRINGBONE					CHEVRON			
		19.05 x 300 x 1450...2950 mm	15 x 240 x 600...2100 mm	19.05 x 240 x 600...2100 mm	15 x 190 x 2000...2100 mm	15 x 190 x 600...2100 mm	19.05 x 190 x 600...2100 mm	19.05 x 190 x 2000...2100 mm	15 x 127 x 600...2100 mm	19.05 x 127 x 600...2100 mm	15 x 127 x 635 mm	19.05 x 127 x 635 mm	15 x 107.95 x 647.7 mm	15 x 82.55 x 577.85 mm	15 x 82.55 x 330.2 mm	15 x 127 x 500 mm	19.05 x 127 x 500 mm	15 x 107.95 x 530 mm	15 x 82.55 x 490 mm
CHESTNUT	Silk finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 401		1118-3204-10	1121-3204-10	1135-3204-10	1120-3204-10	1172-3204-10	1163-3204-10	1119-3204-10	1167-1204-10	1154-1204-10	1174-1204-10	1122-1204-10	1168-1204-10	1171-1204-10	1151-1204-10	1175-1204-10	1134-1204-10	1169-1204-10	1173-1204-10
CHESTNUT RUSTIC	Silk finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 402		1118-7204-20	1121-7204-20	1135-7204-20	1120-7204-20	1172-7204-20	1163-7204-20	1119-7204-20	1167-4204-20	1154-4204-20	1174-4204-20	1122-4204-20	1168-4204-20	1171-4204-20	1151-4204-20	1175-4204-20	1134-4204-20	1169-4204-20	1173-4204-20
STONEY CREEK	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 403		1118-3825-10	1121-3825-10	1135-3825-10	1120-3825-10	1172-3825-10	1163-3825-10	1119-3825-10	1167-1825-10	1154-1825-10	1174-1825-10	1122-1825-10	1168-1825-10	1171-1825-10	1151-1825-10	1175-1825-10	1134-1825-10	1169-1825-10	1173-1825-10
STONEY CREEK RUSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 404		1118-7825-20	1121-7825-20	1135-7825-20	1120-7825-20	1172-7825-20	1163-7825-20	1119-7825-20	1167-3825-20	1154-3825-20	1174-3825-20	1122-3825-20	1168-3825-20	1171-3825-20	1151-3825-20	1175-3825-20	1134-3825-20	1169-3825-20	1173-3825-20
BROWN SUGAR	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 405		1118-3829-10	1121-3829-10	1135-3829-10	1120-3829-10	1172-3829-10	1163-3829-10	1119-3829-10	1167-1829-10	1154-1829-10	1174-1829-10	1122-1829-10	1168-1829-10	1171-1829-10	1151-1829-10	1175-1829-10	1134-1829-10	1169-1829-10	1173-1829-10
BROWN SUGAR RUSTIC	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 406		1118-7829-20	1121-7829-20	1135-7829-20	1120-7829-20	1172-7829-20	1163-7829-20	1119-7829-20	1167-4829-20	1154-4829-20	1174-4829-20	1122-4829-20	1168-4829-20	1171-4829-20	1151-4829-20	1175-4829-20	1134-4829-20	1169-4829-20	1173-4829-20
MARSEILLE	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C	1 C
Nº 407		1118-7828-20	1121-7828-20	1135-7828-20	1120-7828-20	1172-7828-20	1163-7828-20	1119-7828-20	1167-3828-20	1154-3828-20	1174-3828-20	1122-3828-20	1168-3828-20	1171-3828-20	1151-3828-20	1175-3828-20	1134-3828-20	1169-3828-20	1173-3828-20
CINNAMON	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 408		1118-3865-10	1121-3865-10	1135-3865-10	1120-3865-10	1172-3865-10	1163-3865-10	1119-3865-10	1167-1865-10	1154-1865-10	1174-1865-10	1122-1865-10	1168-1865-10	1171-1865-10	1151-1865-10	1175-1865-10	1134-1865-10	1169-1865-10	1173-1865-10
PECAN	Silk mat finish	1 N	1 N	1 N	1 N	1 N	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
Nº 409		1118-3872-10	1121-3872-10	1135-3872-10	1120-3872-10	1172-3872-10	1163-3872-10	1119-3872-10	1167-1872-10	1154-1872-10	1174-1872-10	1122-1872-10	1168-1872-10	1171-1872-10	1151-1872-10	1175-1872-10	1134-1872-10	1169-1872-10	1173-1872-10
OLD VENICE	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 410		1118-7821-30	1121-7821-30	1135-7821-30	1120-7821-30	1172-7821-30	1163-7821-30	1119-7821-30	1167-4821-30	1154-4821-30	1174-4821-30	1122-4821-30	1168-4821-30	1171-4821-30	1151-4821-30	1175-4821-30	1134-4821-30	1169-4821-30	1173-4821-30
MILK CHOCOLATE	Silk finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 411		1118-7217-20	1121-7217-20	1135-7217-20	1120-7217-20	1172-7217-20	1163-7217-20	1119-7217-20	1167-4217-20	1154-4217-20	1174-4217-20	1122-4217-20	1168-4217-20	1171-4217-20	1151-4217-20	1175-4217-20	1134-4217-20	1169-4217-20	1173-4217-20
LONDON	Silk mat finish	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	CHAR	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV	TAV
Nº 412		1118-7826-30	1121-7826-30	1135-7826-30	1120-7826-30	1172-7826-30	1163-7826-30	1119-7826-30	1167-4826-30	1154-4826-30	1174-4826-30	1122-4826-30	1168-4826-30	1171-4826-30	1151-4826-30	1175-4826-30	1134-4826-30	1169-4826-30	1173-4826-30

CHEVRON				PARQUETRY											MOSAIC FLOORING									
15 x 190 x 438.78 mm	19.05 x 190 x 438.78 mm	15 x 127 x 548 mm	19.05 x 127 x 548 mm	ELSINORE 15 x 185.28 x 530.72 mm	ELSINORE 19.05 x 185.28 x 530.72 mm	TILE 15 x 190 x 220 mm	TILE 19.05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19.05 x 190 x 350 mm	OPERA HOUSE 15 x 123.22 x 622.03 mm	OPERA HOUSE 19.05 x 123.22 x 622.03 mm	COFFEE BEAN 15 x 127 x 433.8 mm	COFFEE BEAN 19.05 x 127 x 433.8 mm	BLOIS 19.05 x 635 x 635 mm	BREZE 19.05 x 635 x 635 mm	VERSAILLES 19.05 x 635 x 635 mm	MONTSOBEAU 19.05 x 635 x 635 mm	TATTERSHAL 19.05 x 635 x 635 mm	TRIANON 19.05 x 635 x 635 mm	FONTAINBLEAU 19.05 x 635 x 635 mm	HELMISLEY 19.05 x 635 x 635 mm	CHENONCEAU 19.05 x 635 x 635 mm		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1204-10	1183-1204-10	1176-1204-10	1123-1204-10	1110-1204-10	1127-1204-10	1197-1204-10	1193-1204-10	1198-1204-10	1186-1204-10	1136-1204-10	1137-1204-10	1187-1204-10	1150-1204-10	1106-1204-10	1159-1204-10	1143-1204-10	1158-1204-10	1181-1204-10	1144-1204-10	1160-1204-10	1157-1204-10	1155-1204-10		
TAV	TAV	TAV	TAV			1 C	1 C																	
1192-4204-20	1183-4204-20	1176-4204-20	1123-4204-20			1197-3204-20	1193-3204-20																	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1825-10	1183-1825-10	1176-1825-10	1123-1825-10	1110-1825-10	1127-1825-10	1197-1825-10	1193-1825-10	1198-1825-10	1186-1825-10	1136-1825-10	1137-1825-10	1187-1825-10	1150-1825-10	1106-1825-10	1159-1825-10	1143-1825-10	1158-1825-10	1181-1825-10	1144-1825-10	1160-1825-10	1157-1825-10	1155-1825-10		
1 C	1 C	1 C	1 C			1 C	1 C																	
1192-3825-20	1183-3825-20	1176-3825-20	1123-3825-20			1197-3825-20	1193-3825-20																	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1829-10	1183-1829-10	1176-1829-10	1123-1829-10	1110-1829-10	1127-1829-10	1197-1829-10	1193-1829-10	1198-1829-10	1186-1829-10	1136-1829-10	1137-1829-10	1187-1829-10	1150-1829-10	1106-1829-10	1159-1829-10	1143-1829-10	1158-1829-10	1181-1829-10	1144-1829-10	1160-1829-10	1157-1829-10	1155-1829-10		
TAV	TAV	TAV	TAV			1 C	1 C																	
1192-4829-20	1183-4829-20	1176-4829-20	1123-4829-20			1197-3829-20	1193-3829-20																	
1 C	1 C	1 C	1 C	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-3828-20	1183-3828-20	1176-3828-20	1123-3828-20	1110-1828-10	1127-1828-10	1197-3828-20	1193-3828-20	1198-1828-10	1186-1828-10	1136-1828-10	1137-1828-10	1187-1828-10	1150-1828-10	1106-1828-10	1159-1828-10	1143-1828-10	1158-1828-10	1181-1828-10	1144-1828-10	1160-1828-10	1157-1828-10	1155-1828-10		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1865-10	1183-1865-10	1176-1865-10	1123-1865-10	1110-1865-10	1127-1865-10	1197-1865-10	1193-1865-10	1198-1865-10	1186-1865-10	1136-1865-10	1137-1865-10	1187-1865-10	1150-1865-10	1106-1865-10	1159-1865-10	1143-1865-10	1158-1865-10	1181-1865-10	1144-1865-10	1160-1865-10	1157-1865-10	1155-1865-10		
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-1872-10	1183-1872-10	1176-1872-10	1123-1872-10	1110-1872-10	1127-1872-10	1197-1872-10	1193-1872-10	1198-1872-10	1186-1872-10	1136-1872-10	1137-1872-10	1187-1872-10	1150-1872-10	1106-1872-10	1159-1872-10	1143-1872-10	1158-1872-10	1181-1872-10	1144-1872-10	1160-1872-10	1157-1872-10	1155-1872-10		
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-4821-30	1183-4821-30	1176-4821-30	1123-4821-30	1110-1821-10	1127-1821-10	1197-3821-30	1193-3821-30	1198-1821-10	1186-1821-10	1136-1821-10	1137-1821-10	1187-1821-10	1150-1821-10	1106-1821-10	1159-1821-10	1143-1821-10	1158-1821-10	1181-1821-10	1144-1821-10	1160-1821-10	1157-1821-10	1155-1821-10		
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-4217-20	1183-4217-20	1176-4217-20	1123-4217-20	1110-1217-10	1127-1217-10	1197-3217-20	1193-3217-20	1198-1217-10	1186-1217-10	1136-1217-10	1137-1217-10	1187-1217-10	1150-1217-10	1106-1217-10	1159-1217-10	1143-1217-10	1158-1217-10	1181-1217-10	1144-1217-10	1160-1217-10	1157-1217-10	1155-1217-10		
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	
1192-4826-30	1183-4826-30	1176-4826-30	1123-4826-30	1110-1826-10	1127-1826-10	1197-3826-30	1193-3826-30	1198-1826-10	1186-1826-10	1136-1826-10	1137-1826-10	1187-1826-10	1150-1826-10	1106-1826-10	1159-1826-10	1143-1826-10	1158-1826-10	1181-1826-10	1144-1826-10	1160-1826-10	1157-1826-10	1155-1826-10		

CHEVRON				PARQUETRY											MOSAIC FLOORING										
15 x 190 x 438.78 mm	19.05 x 190 x 438.78 mm	15 x 127 x 548 mm	19.05 x 127 x 548 mm	ELSINORE 15 x 185.28 x 530.72 mm	ELSINORE 19.05 x 185.28 x 530.72 mm	TILE 15 x 190 x 220 mm	TILE 19.05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19.05 x 190 x 350 mm	OPERA HOUSE 15 x 123.22 x 622.03 mm	OPERA HOUSE 19.05 x 123.22 x 622.03 mm	COFFEE BEAN 15 x 127 x 433.8 mm	COFFEE BEAN 19.05 x 127 x 433.8 mm	BLOIS 19.05 x 635 x 635 mm	BREZE 19.05 x 635 x 635 mm	VERSAILLES 19.05 x 635 x 635 mm	MONTSOBEAU 19.05 x 635 x 635 mm	TATTERSHAL 19.05 x 635 x 635 mm	TRIANON 19.05 x 635 x 635 mm	FONTAINBLEAU 19.05 x 635 x 635 mm	HELMISLEY 19.05 x 635 x 635 mm	CHENONCEAU 19.05 x 635 x 635 mm			
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-1211-10	1183-1211-10	1176-1211-10	1123-1211-10	1110-1211-10	1127-1211-10	1197-1211-10	1193-1211-10	1198-1211-10	1186-1211-10	1136-1211-10	1137-1211-10	1187-1211-10	1150-1211-10	1106-1211-10	1159-1211-10	1143-1211-10	1158-1211-10	1181-1211-10	1144-1211-10	1160-1211-10	1157-1211-10	1155-1211-10			
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-4251-20	1183-4251-20	1176-4251-20	1123-4251-20	1110-1251-10	1127-1251-10	1197-3251-20	1193-3251-20	1198-1251-10	1186-1251-10	1136-1251-10	1137-1251-10	1187-1251-10	1150-1251-10	1106-1251-10	1159-1251-10	1143-1251-10	1158-1251-10	1181-1251-10	1144-1251-10	1160-1251-10	1157-1251-10	1155-1251-10			
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-4823-20	1183-4823-20	1176-4823-20	1123-4823-20	1110-1823-10	1127-1823-10	1197-3823-20	1193-3823-20	1198-1823-10	1186-1823-10	1136-1823-10	1137-1823-10	1187-1823-10	1150-1823-10	1106-1823-10	1159-1823-10	1143-1823-10	1158-1823-10	1181-1823-10	1144-1823-10	1160-1823-10	1157-1823-10	1155-1823-10			
1 C	1 C	1 C	1 C	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-3846-30	1183-3846-30	1176-3846-30	1123-3846-30	1110-1846-10	1127-1846-10	1197-3846-30	1193-3846-30	1198-1846-10	1186-1846-10	1136-1846-10	1137-1846-10	1187-1846-10	1150-1846-10	1106-1846-10	1159-1846-10	1143-1846-10	1158-1846-10	1181-1846-10	1144-1846-10	1160-1846-10	1157-1846-10	1155-1846-10			
1 C	1 C	1 C	1 C	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-3882-20	1183-3882-20	1176-3882-20	1123-3882-20	1110-1882-10	1127-1882-10	1197-3882-20	1193-3882-20	1198-1882-10	1186-1882-10	1136-1882-10	1137-1882-10	1187-1882-10	1150-1882-10	1106-1882-10	1159-1882-10	1143-1882-10	1158-1882-10	1181-1882-10	1144-1882-10	1160-1882-10	1157-1882-10	1155-1882-10			
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-4248-10	1183-4248-10	1176-4248-30	1123-4248-10	1110-1248-10	1127-1248-10	1197-3248-10	1193-3248-10	1198-1248-10	1186-1248-10	1136-1248-10	1137-1248-10	1187-1248-10	1150-1248-10	1106-1248-10	1159-1248-10	1143-1248-10	1158-1248-10	1181-1248-10	1144-1248-10	1160-1248-10	1157-1248-10	1155-1248-10			
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-4805-30	1183-4805-30	1176-4805-30	1123-4805-30	1110-1805-10	1127-1805-10	1197-3805-30	1193-3805-30	1198-1805-10	1186-1805-10	1136-1805-10	1137-1805-10	1187-1805-10	1150-1805-10	1106-1805-10	1159-1805-10	1143-1805-10	1158-1805-10	1181-1805-10	1144-1805-10	1160-1805-10	1157-1805-10	1155-1805-10			
TAV	TAV	TAV	TAV	S&B	S&B	1 C	1 C	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B		
1192-4275-10	1183-4275-10	1176-4275-10	1123-4275-10	1110-1275-10	1127-1275-10	1197-3275-10	1193-3275-10	1198-1275-10	1186-1275-10	1136-1275-10	1137-1275-10	1187-1275-10	1150-1275-10	1106-1275-10	1159-1275-10	1143-1275-10	1158-1275-10	1181-1275-10	1144-1275-10	1160-1275-10	1157-1275-10	1155-1275-10			

AMERICAN WALNUT COLLECTION

COLOR	FINISH	PLANK FLOORING									HERRINGBONE					CHEVRON			
		19.05 x 300 x 1450...2950 mm	15 x 240 x 600...2100 mm	19.05 x 240 x 600...2100 mm	15 x 190 x 2000...2100 mm	15 x 190 x 600...2100 mm	19.05 x 190 x 600...2100 mm	19.05 x 190 x 2000...2100 mm	15 x 127 x 600...2100 mm	19.05 x 127 x 600...2100 mm	15 x 127 x 635 mm	19.05 x 127 x 635 mm	15 x 107.95 x 647.7 mm	15 x 82.55 x 577.85 mm	15 x 82.55 x 330.2 mm	15 x 127 x 500 mm	19.05 x 127 x 500 mm	15 x 107.95 x 530 mm	15 x 82.55 x 490 mm
NATURAL	Lacquer					S&B	S&B		S&B	S&B	S&B	S&B			S&B	S&B			
Nº 601 / Nº 607						1372-1101-30	1363-1101-30		1367-1101-30	1354-1101-30	1374-1101-30	1322-1101-30			1375-1101-30	1334-1101-30			
FOGGY DAWN	Silk mat finish			1 N		1 N	1 N		1 N	1 N	1 N	1 N			1 N	1 N			
Nº 602				1335-3810-30		1372-3810-30	1363-3810-30		1367-3810-30	1354-3810-30	1374-3810-30	1322-3810-30			1375-3810-30	1334-3810-30			
SUNSET	Silk mat finish			1 N		1 N	1 N		1 N	1 N	1 N	1 N			1 N	1 N			
Nº 603				1335-3866-30		1372-3866-30	1363-3866-30		1367-3866-30	1354-3866-30	1374-3866-30	1322-3866-30			1375-3866-30	1334-3866-30			
CLASSIC	Silk finish			1 N		1 N	1 N		1 N	1 N	1 N	1 N			1 N	1 N			
Nº 604				1335-3261-30		1372-3261-30	1363-3261-30		1367-3261-30	1354-3261-30	1374-3261-30	1322-3261-30			1375-3261-30	1334-3261-30			
NATURAL	Silk finish			TRAD		TRAD	TRAD		TRAD	TRAD	TRAD	TRAD			TRAD	TRAD			
Nº 605				1335-3201-30		1372-3201-30	1363-3201-30		1367-3201-30	1354-3201-30	1374-3201-30	1322-3201-30			1375-3201-30	1334-3201-30			
NATURAL	Silk finish					S&B	S&B		S&B	S&B	S&B	S&B			S&B	S&B			
Nº 606 - Nº 612						1372-1201-30	1363-1201-30		1367-1201-30	1354-1201-30	1374-1201-30	1322-1201-30			1375-1201-30	1334-1201-30			

CHEVRON				PARQUETRY										MOSAIC FLOORING									
15 x 190 x 438.78 mm	19.05 x 190 x 438.78 mm	15 x 127 x 548 mm	19.05 x 127 x 548 mm	ELSINORE 15 x 185.28 x 530.72 mm	ELSINORE 19.05 x 185.28 x 530.72 mm	TILE 15 x 190 x 220 mm	TILE 19.05 x 190 x 220 mm	TEALEAF 15 x 190 x 350 mm	TEALEAF 19.05 x 190 x 350 mm	OPERA HOUSE 15 x 123.22 x 622.03 mm	OPERA HOUSE 19.05 x 123.22 x 622.03 mm	COFFEE BEAN 15 x 127 x 433.8 mm	COFFEE BEAN 19.05 x 127 x 433.8 mm	BLOIS 19.05 x 635 x 635 mm	BREZE 19.05 x 635 x 635 mm	VERSAILLES 19.05 x 635 x 635 mm	MONTSOBEAU 19.05 x 635 x 635 mm	TATTERSHAL 19.05 x 635 x 635 mm	TRIANON 19.05 x 635 x 635 mm	FONTAINBLEAU 19.05 x 635 x 635 mm	HELMISLEY 19.05 x 635 x 635 mm	CHENONCEAU 19.05 x 635 x 635 mm	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B										
1392-1101-30	1383-1101-30	1376-1101-30	1323-1101-30	1310-1101-30	1327-1101-30	1397-1101-30	1393-1101-30	1398-1101-30	1386-1101-30	1336-1101-30	1337-1101-30	1387-1101-30	1350-1101-30										
1 N	1 N	1 N	1 N	S&B	S&B	1 N	1 N	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1392-3810-30	1383-3810-30	1376-3810-30	1323-3810-30	1310-1810-30	1327-1810-30	1397-3810-30	1393-3810-30	1398-1810-30	1386-1810-30	1336-1810-30	1337-1810-30	1387-1810-30	1350-1810-30	1306-1810-30	1359-1810-30	1343-1810-30	1358-1810-30	1381-1810-30	1344-1810-30	1360-1810-30	1357-1810-30	1355-1810-30	
1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N
1392-3866-30	1383-3866-30	1376-3866-30	1323-3866-30	1310-3866-30	1327-3866-30	1397-3866-30	1393-3866-30	1398-3866-30	1386-3866-30	1336-3866-30	1337-3866-30	1387-3866-30	1350-3866-30	1306-3866-30	1359-3866-30	1343-3866-30	1358-3866-30	1381-3866-30	1344-3866-30	1360-3866-30	1357-3866-30	1355-3866-30	
1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N	1 N
1392-3261-30	1383-3261-30	1376-3261-30	1323-3261-30	1310-3261-30	1327-3261-30	1397-3261-30	1393-3261-30	1398-3261-30	1386-3261-30	1336-3261-30	1337-3261-30	1387-3261-30	1350-3261-30	1306-3261-30	1359-3261-30	1343-3261-30	1358-3261-30	1381-3261-30	1344-3261-30	1360-3261-30	1357-3261-30	1355-3261-30	
TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD	TRAD
1392-3201-30	1383-3201-30	1376-3201-30	1323-3201-30	1310-3201-30	1327-3201-30	1397-3201-30	1393-3201-30	1398-3201-30	1386-3201-30	1336-3201-30	1337-3201-30	1387-3201-30	1350-3201-30	1306-3201-30	1359-3201-30	1343-3201-30	1358-3201-30	1381-3201-30	1344-3201-30	1360-3201-30	1357-3201-30	1355-3201-30	
S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B	S&B
1392-1201-30	1383-1201-30	1376-1201-30	1323-1201-30	1310-1201-30	1327-1201-30	1397-1201-30	1393-1201-30	1398-1201-30	1386-1201-30	1336-1201-30	1337-1201-30	1387-1201-30	1350-1201-30	1306-1201-30	1359-1201-30	1343-1201-30	1358-1201-30	1381-1201-30	1344-1201-30	1360-1201-30	1357-1201-30	1355-1201-30	



Coswick Ltd.
2B Kolasa Str, 223 034 Zaslavl, Republic of Belarus
tel. +375-17-543-2012, Fax: +375-17-543-2020
e-mail: sales@coswick.com
www.coswick.com